

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
P.O. BOX 1 450
ALEXANDRIA, VA 223 I 3-I 450
www.uspto.gov

Paper No.

Notice of Non-Compliant Amendment (37 CFR 1.121)

HADE
The amendment document filed on 10-10-0 is considered non-compliant because it has failed to meet the requirements of 37 CFR 1.121, as amended on June 30, 2003 (see 68 Fed. Reg. 38611, Jun. 30, 2003). In order for the amendment document to be compliant, correction of the following item(s) is required. Only the corrected section of the non-compliant amendment document must be resubmitted (in its entirety), e.g., the entire "Amendments to the claims" section of applicant's amendment document must be re-submitted. 37 CFR 1.121(h).
THE FOLLOWING CHECKED (X) ITEM(S) CAUSE THE AMENDMENT DOCUMENT TO BE NON-COMPLIANT: 1. Amendments to the specification: A. Amended paragraph(s) do not include markings. B. New paragraph(s) should not be underlined. C. Other
□ 2. Abstract: □ A. Not presented on a separate sheet. 37 CFR 1.72. □ B. Other
3. Amendments to the drawings:
4. Amendments to the claims: A. A complete listing of all of the claims is not present. B. The listing of claims does not include the text of all claims (including withdrawn claims) C. Each claim has not been provided with the proper status identifier, and as such, the individual status of each claim cannot be identified. D. The claims of this amendment paper have not been presented in ascending numerical order. E. Other:
For further explanation of the amendment format required by 37 CFR 1.121, see MPEP Sec. 714 and the USPTO website at http://www.uspto.gov/web/offices/pac/dapp/opla/preognotice/officeflyer.pdf .
If the non-compliant amendment is a PRELIMINARY AMENDMENT, applicant is given ONE MONTH from the mail date of this letter to supply the corrected section which complies with 37 CFR 1.121. Failure to comply with 37 CFR 1.121 will result in non-entry of the preliminary amendment and examination on the merits will commence without consideration of the proposed changes in the preliminary amendment(s). This notice is not an action under 35 U.S.C. 132, and this ONE MONTH time limit is not extendable.
If the non-compliant amendment is a reply to a NON-FINAL OFFICE ACTION (including a submission for an RCE), and since the amendment appears to be a <i>bona fide</i> attempt to be a reply (37 CFR 1.135(c)), applicant is given a TIME PERIOD of ONE MONTH from the mailing of this notice within which to re-submit the corrected section which complies with 37 CFR 1.121 in order to avoid abandonment. EXTENSIONS OF THIS TIME PERIOD ARE AVAILABLE UNDER 37 CFR 1.136(a).
If the amendment is a reply to a FINAL REJECTION, this form may be an attachment to an Advisory Action. <u>The period for response to a final rejection continues to run from the date set in the final rejection</u> , and is not affected by the non-compliant status of the amendment.
36-306-0410

Telephone No.

Legal Instruments Examiner (LIE)

Collier Shannon Scott



JOHN N. COULBY 202.342.8400 JCoulby@colliershannon.com

Washington Harbour, Suite 400

3050 K Street, NW Washington, DC 20007

202.342.8400 TEL 202.342.8451 FAX

January 20, 2004

Mail Stop Non-Fee Amendment Commissioner For Patents P.O. Box 1450 Alexandria, VA 22313-1450 RECEIVED

JAN 2 3 2004

TECHNOLOGY CENTER R3700

Re:

U.S. Utility Patent Application Serial No. 09/108,189

For: An Introducer Sheath For Use During A Surgical

PROCEDURE

Our Reference No: 23660-00611

Dear Sir:

Transmitted herewith for filing in the U.S. Patent and Trademark Office in connection with the above-referenced application are the following documents:

- (1) Response to Notice of Non-Compliant Amendment (2 pages);
- (2) Replacement "Amendments to the Claims" section (8 pages); and
- (3) Copy of Notice of Non-Compliant Amendment (1 page).

Please date-stamp the enclosed copy of this letter, acknowledging receipt of the above-identified document, and return it to us.

Sincerely yours

JOHN N. COULBY, Reg No., 43,565

JNC/ejw Enclosures

cc: Dr. Howard Tanner
Dr. Hugh Trout